830 Planning Schedule with Release Capability

Functional Group ID= ${PS}$

Introduction:

This Draft Standard for Trial Use contains the format and establishes the data contents of the Planning Schedule with Release Capability Transaction Set (830) for use within the context of an Electronic Data Interchange (EDI) environment. The transaction set can be used to provide for customary and established business practice relative to the transfer of forecasting/material release information between organizations. The planning schedule transaction may be used in various ways or in a combination of ways, such as: (1) a simple forecast; (2) a forecast with the buyer's authorization for the seller to commit to resources, such as labor or material; (3) a forecast that is also used as an order release mechanism, containing such elements as resource authorizations, period-to-date cumulative quantities, and specific ship/delivery patterns for requirements that have been represented in "buckets," such as weekly, monthly, or quarterly. The order release forecast may also contain all data related to purchase orders, as required, because the order release capability eliminates the need for discrete generation of purchase orders.

Notes:

- 1. Organizations use this transaction set to transmit Special Program Requirements (SPRs) to Inventory Control Points (ICPs)/Integrated Material Managers (IMMs).
- 2. Use a single occurrence of this transaction set to transmit SPR transactions to one or more ICPs/IMMs. Use one occurrence of this transaction set to transmit a single or multiple transactions.

Heading:

	Pos.	Seg.		Req.		Loop	Notes and
	No.	<u>ID</u>	<u>Name</u>	Des.	Max.Use	Repeat	Comments
Must Use	010	ST	Transaction Set Header	M	1		
Must Use	020	BFR	Beginning Segment for Planning Schedule	M	1		
Not Used	025	XPO	Preassigned Purchase Order Numbers	O	>1		
Not Used	040	CUR	Currency	O	1		
Not Used	050	REF	Reference Identification	O	12		
Not Used	060	PER	Administrative Communications Contact	O	3		
Not Used	070	TAX	Tax Reference	O	3		
Not Used	080	FOB	F.O.B. Related Instructions	O	1		
Not Used	090	CTP	Pricing Information	O	25		
Not Used	100	SAC	Service, Promotion, Allowance, or Charge Information	0	25		
Not Used	110	CSH	Sales Requirements	O	1		
Not Used	120	ITD	Terms of Sale/Deferred Terms of Sale	O	2		
Not Used	130	DTM	Date/Time Reference	O	10		
Not Used	140	PID	Product/Item Description	O	200		
Not Used	150	MEA	Measurements	O	40		

003060F830R0 26 June 1998

Not Used	160	PWK	Paperwork	O	25	
Not Used	170	PKG	Marking, Packaging, Loading	O	25	
Not Used	180	TD1	Carrier Details (Quantity and Weight)	O	2	
Not Used	190	TD5	Carrier Details (Routing Sequence/Transit Time)	О	12	
Not Used	200	TD3	Carrier Details (Equipment)	O	12	
Not Used	210	TD4	Carrier Details (Special Handling, or Hazardous Materials, or Both)	0	5	
Not Used	220	MAN	Marks and Numbers	O	10	
			LOOP ID - N1			200
Must Use	230	N1	Name	O	1	
Not Used	240	N2	Additional Name Information	O	2	
Not Used	250	N3	Address Information	O	2	
Not Used	260	N4	Geographic Location	O	1	
Not Used	270	REF	Reference Identification	O	12	
Not Used	280	PER	Administrative Communications Contact	O	3	
Not Used	290	FOB	F.O.B. Related Instructions	O	1	
			LOOP ID - LM			>1
Not Used	300	LM	Code Source Information	O	1	
Not Used	310	LQ	Industry Code	M	100	

Detail:

	Pos. No.	Seg. ID	Name	Req. Des.	Max.Use	Loop Repeat	Notes and Comments
		_	LOOP ID - LIN			>1	
Must Use	010	LIN	Item Identification	M	1		
Not Used	020	UIT	Unit Detail	O	1		
Not Used	021	DTM	Date/Time Reference	O	10		
Not Used	030	CUR	Currency	O	1		
Not Used	060	PO3	Additional Item Detail	O	25		
Not Used	070	CTP	Pricing Information	O	25		
Not Used	080	PID	Product/Item Description	O	1000		
Not Used	090	MEA	Measurements	O	40		
Not Used	100	PWK	Paperwork	O	25		
Not Used	110	PKG	Marking, Packaging, Loading	O	25		
Not Used	120	PO4	Item Physical Details	O	1		
Not Used	130	PRS	Part Release Status	O	1		
Must Use	140	REF	Reference Identification	O	12		
Not Used	150	PER	Administrative Communications Contact	O	3		
Not Used	170	SAC	Service, Promotion, Allowance, or Charge Information	O	25		
Not Used	180	ITD	Terms of Sale/Deferred Terms of Sale	O	2		
Not Used	190	TAX	Tax Reference	O	3		
Not Used	200	FOB	F.O.B. Related Instructions	O	1		
Not Used	210	LDT	Lead Time	O	12		
Not Used	220	QTY	Quantity	O	>1		n1
Not Used	230	ATH	Resource Authorization	O	20		

Not Used	240	TD1	Carrier Details (Quantity and Weight)	O	1		
Not Used	250	TD5	Carrier Details (Routing Sequence/Transit Time)	О	12		
Not Used	260	TD3	Carrier Details (Equipment)	O	12		
Not Used	270	TD4	Carrier Details (Special Handling, or Hazardous Materials, or Both)	O	5		
Not Used	280	MAN	Marks and Numbers	O	10		
Not Used	290	DD	Demand Detail	O	10		
			LOOP ID - SLN			100	
Not Used	300	SLN	Subline Item Detail	O	1		
Not Used	310	PID	Product/Item Description	O	1000		
Not Used	315	NM1	Individual or Organizational Name	O	10		
			LOOP ID - N1			200	
Must Use	320	N1	Name	О	1		
Not Used	330	N2	Additional Name Information	O	2		
Not Used	340	N3	Address Information	O	2		
Not Used	350	N4	Geographic Location	O	1		
Not Used	360	REF	Reference Identification	O	12		
Not Used	370	PER	Administrative Communications Contact	O	3		
Not Used	380	FOB	F.O.B. Related Instructions	O	1		
			LOOP ID - LM			>1	
Must Use	390	LM	Code Source Information	O	1		
Must Use	400	LQ	Industry Code	M	100		
			LOOP ID - FST		-	>1	
Must Use	410	FST	Forecast Schedule	О	1		n2
Not Used	420	SDQ	Destination Quantity	O	50		
			LOOP ID - LM			>1	
	430	LM	Code Source Information	О	1		
Must Use	440	LQ	Industry Code	M	100		
			LOOP ID - SDP			260	
Not Used	450	SDP	Ship/Delivery Pattern	О	1		
Not Used	460	FST	Forecast Schedule	O	260		
			LOOP ID - SHP			25	
Not Used	470	SHP	Shipped/Received Information	0	1		
Not Used	480	REF	Reference Identification	0	5		

Summary:

	Pos.	Seg.		Req.		Loop	Notes and
	No.	<u>ID</u>	<u>Name</u>	Des.	Max.Use	Repeat	Comments
Not Used	010	CTT	Transaction Totals	0	1		n3
Must Use	020	SE	Transaction Set Trailer	M	1		

Transaction Set Notes

1. QTY is used to specify supplemental quantities relevant to the forecast function. However, QTY is not

- related to the actual forecast quantity in the FST segments.
- **2.** At least one occurrence of segment FST is required, either in the FST loop or within the SDP loop. These two loops are mutually exclusive.
- 3. Number of line items (CTT01) is the accumulation of the number of LIN segments. If used, hash total (CTT02) is the sum of the values of the quantities (FST01) for each FST segment.

Segment: ST Transaction Set Header

Position: 010

Loop:

Level: Heading Usage: Mandatory

Max Use: 1

Purpose: To indicate the start of a transaction set and to assign a control number

Syntax Notes:

Semantic Notes: 1 The transaction set identifier (ST01) is used by the translation routines of the

interchange partners to select the appropriate transaction set definition (e.g.,

810 selects the Invoice Transaction Set).

Comments:

			2 404 2101110110 24111111111	
	Ref. Des.	Data <u>Element</u>	Name	<u>Attributes</u>
Must Use	ST01	143	Transaction Set Identifier Code	M ID 3/3
			Code uniquely identifying a Transaction Set	
			X12.14 Planning Schedule	with Release Capability
Must Use	ST02	329	Transaction Set Control Number	M AN 4/9
			Identifying control number that must be unique v functional group assigned by the originator for a	
			A unique number assigned by the originator of	f the transaction set, or
			the originator's application program.	, ,

Segment: BFR Beginning Segment for Planning Schedule

Position: 020

Loop:

Level: Heading Usage: Mandatory

Max Use: 1

Purpose: To indicate the beginning of a planning schedule transaction set; whether a ship or

delivery based forecast; and related forecast envelope dates

Syntax Notes: Semantic Notes:

1 At least one of BFR02 or BFR03 is required.

1 If BFR01 contains the value "04" (Net Change), BFR09 is required.

2 BFR02 is the identifying number for a forecast assigned by the orderer/purchaser.

3 BFR06 is the forecast horizon start date: The date when the forecast horizon (envelope) begins.

4 BFR07 is the forecast horizon end date: The date when the forecast horizon (envelope) ends.

5 BFR08 is the date forecast generated: The date the forecast data was generated.

6 BFR09 is the date forecast updated: The date the forecast was updated with "net change" data. (Used only when data element 353 in BFR01 contains the value "04", meaning net change.)

Comments:

			Data Lien	ent Summary	
Must Use	Ref. <u>Des.</u> BFR01	Data Element 353	Name Transaction Set I	Purpose Code	Attributes M ID 2/2
			Code identifying p	urpose of transaction set	
			00	Original	
			77	Simulation Exercise	
				Use to identify a simulated mobilization transaction set. Activities initiating simubilization exercises must ensure cocoordination with all activities involvitransaction set recipients must use exto ensure that individual transactions process as action documents which a accountable records.	imulated omplete ved. All xtreme caution s do not
Must Use	BFR02	127	Reference Identif	ication	X AN 1/30
				tion as defined for a particular Transactio eference Identification Qualifier	n Set or as
			Use code ''Z'' for requirements.	this data element to satisfy mandatory 2	X12 syntax
Not Used	BFR03	328	Release Number		X AN 1/30
			-	g a release against a Purchase Order previous	iously placed

Must Use BFR04 675 Schedule Type Qualifier M ID 2	2/2
Code identifying the type of dates used when defining a shipping or delivery time in a schedule or forecast	
PR Planned Requirement Based	
Use to indicate requirements data reflecting	
planned program requirement projections not based on historical demand.	
Must Use BFR05 676 Schedule Quantity Qualifier M ID 1	/1
Code identifying the type of quantities used when defining a schedule of forecast	or
A Actual Discrete Quantities	
Use to indicate that quantities reflect discrete requirements.	
Must Use BFR06 373 Date M DT 0	6/6
Date (YYMMDD)	
Must use to identify the forecast period start date for which all iden material support should be available. This date represents the outsistant date for all table 2 iterations.	-
BFR07 373 Date O DT	6/6
Date (YYMMDD)	
Use to identify the forecast period end date for which all identified material support should be available. This date represents the outsiend date for all table 2 iterations.	ide
Must Use BFR08 373 Date M DT of	6/6
Date (YYMMDD)	
Use to identify the transaction set preparation date. This date corresponds to the Universal Time Coordinate (UTC).	
Not Used BFR09 373 Date ODT (6/6
Date (YYMMDD)	0, 0
Not Used BFR10 367 Contract Number O AN	1/30
Contract number	
Not Used BFR11 324 Purchase Order Number O AN	1/22
Identifying number for Purchase Order assigned by the orderer/purchas	er
Must Use BFR12 783 Planning Schedule Type Code O ID 2	2/2
Code identifying type of planning schedule used	
XA Requirement Forecast	
Must use to indicate the transaction is an SPR forecast.	
Not Used BFR13 306 Action Code O ID 1	/2
Code indicating type of action	

Segment: N1 Name

Position: 230

Loop: N1 Optional (Must Use)

Level: Heading

Usage: Optional (Must Use)

Max Use: 1

Purpose: To identify a party by type of organization, name, and code

Syntax Notes: 1 At least one of N102 or N103 is required.

2 If either N103 or N104 is present, then the other is required.

Semantic Notes:

Comments: 1 This segment, used alone, provides the most efficient method of providing

organizational identification. To obtain this efficiency the "ID Code" (N104) must provide a key to the table maintained by the transaction processing party.

N105 and N106 further define the type of entity in N101.

Notes: Must use this 1/N1/230 loop to identify the organization originating the

transaction set.

	Ref.	Data	Dutu Elem	che Summar y		
	Des.	Element	Name		Δtt	ributes
Must Use	N101	98	Entity Identifier (Code	_	ID 2/2
			Code identifying ar individual	n organizational entity, a physical location	ı, or	an
			41	Submitter		
				Entity transmitting transaction set		
				Must use to identify the submitter of t	he S	PR
				requirement.		
Not Used	N102	93	Name		X	AN 1/35
			Free-form name			
Must Use	N103	66	Identification Cod	le Qualifier	X	ID 1/2
			Code designating the Identification Code	ne system/method of code structure used to (67)	or	
			1	D-U-N-S Number, Dun & Bradstreet		
			9	D-U-N-S+4, D-U-N-S Number with Fo Suffix	our C	haracter
			10	Department of Defense Activity Addres (DODAAC)	s Co	de
			M4	Department of Defense Routing Identific (RIC)	er Co	ode
				An integral and predetermined participal established logistical system performing logistic control, distribution, and storage	g ger	neral
Must Use	N104	67	Identification Cod	le	X	AN 2/20
			Code identifying a	party or other code		

Not Used	N105	706	Entity Relationship Code		O	ID 2/2		
			Code describing e					
Must Use	N106	98	Entity Identifier	Entity Identifier Code				
			Code identifying an organizational entity, a physical locatindividual			an		
			FR	Message From				
			Must use to indicate the organizat			d in N104		
				is originating the transaction set.				

Segment: LIN Item Identification

Position: 010

Loop: LIN Mandatory

Level: Detail
Usage: Mandatory

Max Use: 1

Purpose: To specify basic item identification data

Syntax Notes: 1 If either LIN04 or LIN05 is present, then the other is required.

- 2 If either LIN06 or LIN07 is present, then the other is required.
- 3 If either LIN08 or LIN09 is present, then the other is required.
- 4 If either LIN10 or LIN11 is present, then the other is required.
- 5 If either LIN12 or LIN13 is present, then the other is required.
- 6 If either LIN14 or LIN15 is present, then the other is required.
- 7 If either LIN16 or LIN17 is present, then the other is required.
- 8 If either LIN18 or LIN19 is present, then the other is required.
- **9** If either LIN20 or LIN21 is present, then the other is required.
- 10 If either LIN22 or LIN23 is present, then the other is required.
- 11 If either LIN24 or LIN25 is present, then the other is required.12 If either LIN26 or LIN27 is present, then the other is required.
- 13 If either LIN28 or LIN29 is present, then the other is required.
- 14 If either LIN30 or LIN31 is present, then the other is required.
- **Semantic Notes:** 1 LIN01 is the line item identification

Comments:

1 See the Data Dictionary for a complete list of IDs.

2 LIN02 through LIN31 provide for fifteen different product/service IDs for each item. For example: Case, Color, Drawing No., U.P.C. No., ISBN No., Model No., or SKU.

Notes: Must use the 2/LIN/010 loop to identify the type of transaction, material,

transaction number, and information associated with the projected requirement.

Data Element Summary

	Ref.	Data		
	Des.	Element	<u>Name</u>	<u>Attributes</u>
Must Use	LIN01	350	Assigned Identification	O AN 1/20

Alphanumeric characters assigned for differentiation within a transaction set

A - SPR submission

B - SPR Security Assistance (SPR SA) submission

C - Cancellation of previously submitted SPR

Use indicates cancellation of the entire open SPR quantity.

D - Modification of a previously submitted SPR

E - Inquiry on status of previously submitted SPR

F - Acceptance of offer to provide substitute material

G - Rejection of offer to provide substitute material

Must Use LIN02 235 Product/Service ID Qualifier

M ID 2/2

Code identifying the type/source of the descriptive number used in Product/Service ID (234)

Use only one of codes A1, A2, A4, FB, FS, MG, TP or YP to identify the material. Must use National Stock Number (NSN) when known.

A1 Plant Equipment Number Item identifier is a plant equipment number Use to identify plant equipment. A2 Department of Defense Identification Code (DoDIC) Qualifies a code that uniquely identifies a type of explosive or ammunition Use to identify ammunition items. A4 Subsistence Identification Number Item identifier is a brand-name resale subsistence Use to identify subsistence items. FΒ Form Number Use to identify the form stock number. FS National Stock Number Must use the NSN when known. MG Manufacturer's Part Number Use to identify nonstandard material. TP Product Type Code For clothing and footwear, use to identify the NSN when the material requested represents a generic requirement for which the quantity should be distributed across a predefined range of sizes.

Product/Service ID

M AN 1/40

Identifying number for a product or service

LIN04 235 Product/Service ID Qualifier

234

LIN03

Must Use

YP

X ID 2/2

Code identifying the type/source of the descriptive number used in Product/Service ID (234)

Publication Number

ZB Commercial and Government Entity (CAGE) Code

A code that identifies a commercial contractor authorized to do business with the U.S. government

Use to identify the publication stock number.

Use with LIN02 code MG to uniquely identify a

			manufacturer's part number.		
	LIN05	234	Product/Service ID	\mathbf{X}	AN 1/40
			Identifying number for a product or service		
Not Used	LIN06	235	Product/Service ID Qualifier	X	ID 2/2
			Code identifying the type/source of the descriptive number Product/Service ID (234)	used i	n
Not Used	LIN07	234	Product/Service ID	\mathbf{X}	AN 1/40
			Identifying number for a product or service		
Not Used	LIN08	235	Product/Service ID Qualifier	X	ID 2/2
			Code identifying the type/source of the descriptive number Product/Service ID (234)	used i	in
Not Used	LIN09	234	Product/Service ID	X	AN 1/40
			Identifying number for a product or service		
Not Used	LIN10	235	Product/Service ID Qualifier	X	ID 2/2
			Code identifying the type/source of the descriptive number Product/Service ID (234)	used i	n
Not Used	LIN11	234	Product/Service ID	\mathbf{X}	AN 1/40
			Identifying number for a product or service		
Not Used	LIN12	235	Product/Service ID Qualifier	X	ID 2/2
			Code identifying the type/source of the descriptive number Product/Service ID (234)	used i	n
Not Used	LIN13	234	Product/Service ID	X	AN 1/40
			Identifying number for a product or service		
Not Used	LIN14	235	Product/Service ID Qualifier	X	ID 2/2
			Code identifying the type/source of the descriptive number Product/Service ID (234)	used i	n
Not Used	LIN15	234	Product/Service ID	X	AN 1/40
			Identifying number for a product or service		
Not Used	LIN16	235	Product/Service ID Qualifier	X	ID 2/2
			Code identifying the type/source of the descriptive number Product/Service ID (234)	used i	n
Not Used	LIN17	234	Product/Service ID	X	AN 1/40
			Identifying number for a product or service		
Not Used	LIN18	235	Product/Service ID Qualifier	X	ID 2/2
			Code identifying the type/source of the descriptive number Product/Service ID (234)	used i	n
Not Used	LIN19	234	Product/Service ID	X	AN 1/40
			Identifying number for a product or service		
Not Used	LIN20	235	Product/Service ID Qualifier	X	ID 2/2
			Code identifying the type/source of the descriptive number Product/Service ID (234)	used i	n
Not Used	LIN21	234	Product/Service ID	X	AN 1/40

			Identifying number for a product or service		
Not Used	LIN22	235	Product/Service ID Qualifier	X	ID 2/2
			Code identifying the type/source of the descriptive number of Product/Service ID (234)		
Not Used	LIN23	234	Product/Service ID	X	AN 1/40
			Identifying number for a product or service		
Not Used	LIN24	235	Product/Service ID Qualifier	X	ID 2/2
			Code identifying the type/source of the descriptive number of Product/Service ID (234)	ised i	in
Not Used	LIN25	234	Product/Service ID	X	AN 1/40
			Identifying number for a product or service		
Not Used	LIN26	235	Product/Service ID Qualifier	X	ID 2/2
			Code identifying the type/source of the descriptive number of Product/Service ID (234)	ised i	in
Not Used	LIN27	234	Product/Service ID	X	AN 1/40
			Identifying number for a product or service		
Not Used	LIN28	235	Product/Service ID Qualifier	X	ID 2/2
			Code identifying the type/source of the descriptive number of Product/Service ID (234)	ised i	in
Not Used	LIN29	234	Product/Service ID	X	AN 1/40
			Identifying number for a product or service		
Not Used	LIN30	235	Product/Service ID Qualifier	X	ID 2/2
			Code identifying the type/source of the descriptive number of Product/Service ID (234)	ised i	in
Not Used	LIN31	234	Product/Service ID	X	AN 1/40
			Identifying number for a product or service		

Segment: REF Reference Identification

Position: 140

Loop: LIN Mandatory

Level: Detail

Usage: Optional (Must Use)

Max Use: 12

Purpose: To specify identifying information

Syntax Notes: 1 At least one of REF02 or REF03 is required.

If either C04003 or C04004 is present, then the other is required.
If either C04005 or C04006 is present, then the other is required.

Semantic Notes: 1 REF04 contains data relating to the value cited in REF02.

Comments:

Notes: Must use to identify the transaction number associated with the SPR forecast.

	Ref.	Data	·				
	Des.	Element	<u>Name</u>		<u>ributes</u>		
Must Use	REF01	128	Reference Identification Qualifier	M	ID 2/3		
			Code qualifying the Reference Identification				
			TN Transaction Reference Number				
Must Use	REF02	127	Reference Identification	\mathbf{X}	AN 1/30		
			Reference information as defined for a particular Transaction specified by the Reference Identification Qualifier	n Set	or as		
Not Used	REF03	352	Description	X	AN 1/80		
			A free-form description to clarify the related data elements a content	A free-form description to clarify the related data elements and their content			
Not Used	REF04	C040	Reference Identifier	0			
			To identify one or more reference numbers or identification respecified by the Reference Qualifier	umb	ers as		
Not Used	C04001	128	Reference Identification Qualifier	M	ID 2/3		
			Code qualifying the Reference Identification				
Not Used	C04002	127	Reference Identification	M	AN 1/30		
			Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier				
Not Used	C04003	128	Reference Identification Qualifier	X	ID 2/3		
			Code qualifying the Reference Identification				
Not Used	C04004	127	Reference Identification	X	AN 1/30		
			Reference information as defined for a particular Transaction specified by the Reference Identification Qualifier	n Set	or as		
Not Used	C04005	128	Reference Identification Qualifier	X	ID 2/3		
			Code qualifying the Reference Identification				
Not Used	C04006	127	Reference Identification	X	AN 1/30		
			Reference information as defined for a particular Transaction Set or as				

830R - Planning Schedule with Release Capability (Special Program Requirements)

specified by the Reference Identification Qualifier

Segment: N1 Name

Position: 320

Loop: N1 Optional (Must Use)

Level: Detail

Usage: Optional (Must Use)

Max Use: 1

Purpose: To identify a party by type of organization, name, and code

Syntax Notes: 1 At least one of N102 or N103 is required.

2 If either N103 or N104 is present, then the other is required.

Semantic Notes:

Comments: 1 This segment, used alone, provides the most efficient method of providing

organizational identification. To obtain this efficiency the "ID Code" (N104) must provide a key to the table maintained by the transaction processing party.

2 N105 and N106 further define the type of entity in N101.

Notes: 1. Must use one iteration of this 2/N1/320 loop to identify the organization to

receive the transaction.

2. Use additional iterations to identify other organizations associated with the

transaction.

Data Element Summary

	Ref.	Data				
	Des.	Element	<u>Name</u>	Att	ribu	ıtes
Must Use	N101	98	Entity Identifier Code	M	ID	2/2
			Code identifying an organizational entity a physical location	or	an	

Code identifying an organizational entity, a physical location, or an individual

KA Item Manager

The address of the person responsible for the

management of an item of supply

Must use to identify the ICP/IMM.

P1 Preparer

The firm, organization, or individual who determines the tax liability from information supplied by the

taxpayer

Use to identify the originator of the SPR when different from the submitting activity identified by

1/N101/230 code 41.

ST Ship To

1. Use in SPR transactions, except SPR modifications, to identify the organization expected

to receive the material.

2. Use in SPR modification transactions to identify the revised organization expected to receive the material.

			ZD	Party to Receive Reports				
				The organization designated to receive r	epo	rts		
				Use to identify a party to receive a cop	y.			
Not Used	N102	93	Name		X	AN 1/35		
			Free-form name					
Must Use	N103	66	Identification Co	de Qualifier	X	ID 1/2		
			Code designating Identification Cod	ating the system/method of code structure used for Code (67)				
			1	D-U-N-S Number, Dun & Bradstreet				
			9	D-U-N-S+4, D-U-N-S Number with Four Characte Suffix				
			10	Department of Defense Activity Address Co (DODAAC)				
			A2	Military Assistance Program Address Co	ode	(MAPAC)		
				Contained in the Military Assistance Progra Address Directory (MAPAD); represents the location of an entity				
				Use as required for security assistant (2/LIN01/010 code B) to indicate the MAPAC for the ship-to address (2/N.ST).				
			M4	Department of Defense Routing Identified (RIC)	er C	ode		
				An integral and predetermined participa established logistical system performing logistic control, distribution, and storage	ger	neral		
Must Use	N104	67	Identification Co	de	X	AN 2/20		
			Code identifying a	a party or other code				
Not Used	N105	706	Entity Relationsh	hip Code	o	ID 2/2		
			Code describing e	ntity relationship				
	N106	98	Entity Identifier	Code	0	ID 2/2		
			Code identifying a individual	n organizational entity, a physical location	, or	an		
			ТО	Message To				
				Must use with 2/N101/320 code KA to	ide	ntify the		

Must use with 2/N101/320 code KA to identify the organization cited in N104 is receiving the transaction.

Segment: LM Code Source Information

Position: 390

Loop: LM Optional (Must Use)

Level: Detail

Usage: Optional (Must Use)

Max Use: 1

Purpose: To transmit standard code list identification information

Syntax Notes: Semantic Notes:

Comments: 1 LM02 identifies the applicable industry code list source information.

Notes: Use the 2/LM/390 loop to identify coded information maintained in department

or agency documentation.

				- ====================================		
	Ref.	Data				
	Des.	Element	<u>Name</u>		Att	<u>ributes</u>
Must Use	LM01	559	Agency Qua	alifier Code	M	ID 2/2
			Code identif	ying the agency assigning the code values		
			DF	Department of Defense (DoD)		
Not Used	LM02	822	Source Sub	qualifier	0	AN 1/15
			A reference Qualifier	that indicates the table or text maintained by the	Sou	rce

Industry Code Segment:

Position: 400

> Loop: LM Optional (Must Use)

Level: Detail **Usage:** Mandatory

Max Use: 100

Purpose: Code to transmit standard industry codes **Syntax Notes:** 1 If LQ01 is present, then LQ02 is required.

Semantic Notes:

Comments:

Notes: Use to identify codes, as appropriate, consistent with management information

requirements.

Data Element Summary								
Must Use	Ref. <u>Des.</u> LQ01	Data Element 1270	Name Code List Qualifie	r Code	Attributes O ID 1/3			
			Code identifying a s	specific industry code list				
			0	Document Identification Code				
				Codes that subclassify a transaction				
			78	Project Code				
				Codes that relate a transaction to speci exercises, projects, operations, or other				
				Use only in SPR cancellation, SPR is substitute acceptance and SPR substituansactions.				
			80	Advice Code				
				Instructions to transaction recipients w narratives cannot be transmitted	hen			
				Use only in SPR cancellation, SPR in substitute acceptance and SPR substitutes transactions.				
			83	Supply Condition Code				
				Classifies material by readiness for iss describes actions underway to change material, or identifies material as excess serviceable	the status of			
				Use only in SPR cancellation, SPR in substitute acceptance and SPR substitutes transactions.				
			99	Purpose Code				
				Codes that inform the material owner v	why an			

inventory balance is being reserved

Use only in SPR cancellation, SPR inquiry, SPR

substitute acceptance and SPR substitute rejection transactions.

A6 Freight Forwarder Number

Representatives designated by a country to

accomplish or control shipments of Foreign Military

Sales material

Use with SPR SA transactions in conjunction with the structured MAPAC (2/N103/320 code A2) to identify the country representative or freight forwarder expected to receive shipments and

documentation.

A9 Supplementary Address

Identifies the originating organization's unique

logistics information

ED Coast Designation Code

The location of the consignee

Use only in SPR cancellation, SPR inquiry, SPR substitute acceptance and SPR substitute rejection

transactions.

Must Use LQ02 1271 Industry Code

X AN 1/30

Code indicating a code from a specific industry code list

Segment: FST Forecast Schedule

Position: 410

Loop: FST Optional (Must Use)

Level: Detail

Usage: Optional (Must Use)

Max Use: 1

Purpose: To specify the forecasted dates and quantities

Syntax Notes: 1 If either FST06 or FST07 is present, then the other is required.

the start date of a flexible interval.

2 If either FST08 or FST09 is present, then the other is required.

Semantic Notes: 1 If FST03 equals "F" (indicating flexible interval), then FST04 and FST05 are required. FST04 would be used for the start date of the flexible interval and

FST05 would be used for the end date of the flexible interval.

Comments: 1 As qualified by FST02 and FST03, FST04 represents either a discrete forecast date, the first date of a forecasted bucket (weekly, monthly, quarterly, etc.) or

2 FST06 qualifies the time in FST07. The purpose of the FST07 element is to express the specific time of day in a 24-hour clock to satisfy "just-in-time" requirements. As an alternative, the ship/delivery pattern segment (SDP) may be

used to define an approximate time, such as a.m. or p.m.

Notes: 1. Use one or multiple repetitions of the 2/FST/410 segment

1. Use one or multiple repetitions of the 2/FST/410 segment for SPR cancellation, SPR substitute acceptance, SPR substitute rejection, and SPR inquiry transactions to identify the quantity, support date, and suffix code, as needed, for the transaction.

2. Use one or multiple 2/FST/410 loop iterations for SPR, SPR SA and SPR modification transactions to identify and, as needed, stratify applicable SPR forecast quantities by related support dates and suffix code.

Data Element Summary

	Ref.	Data		
	Des.	Element	<u>Name</u>	<u>Attributes</u>
Must Use	FST01	380	Quantity	M R 1/15

Numeric value of quantity

- 1. Express as a number with no decimal.
- 2. Use in SPR, SPR SA and SPR inquiry transactions to identify the forecast quantity.
- 3. Use in SPR substitute acceptance transactions to identify the quantity for which a substitute is acceptable.
- 4. Use in SPR rejection transactions to identify the quantity for which a substitute is not acceptable.
- 5. Use in SPR modification transactions to identify the revised SPR forecast quantity.

			6. Use in SPR carto be cancelled.	ncellation transactions to identify the for	recas	st quantity
Must Use	FST02	680	Forecast Qualifie	er	M	ID 1/1
			_	ne sender's confidence level of the forecast	data	or an
			D	Planning		
				Use only for SPR, SPR SA, SPR subsacceptance, SPR substitute rejection, inquiry transactions.		
			W	Cancellation		
				Use only for SPR cancellation transa	ctioi	is.
			X	Modification		
				Use only for SPR modification transa	ictio	ns.
Must Use	FST03	681	Forecast Timing	Qualifier	M	ID 1/1
				nterval grouping of the forecast		
			D	Discrete		
				Use to indicate all forecast quantities quantities.	are	discrete
Must Use	FST04	373	Date		M	DT 6/6
			Date (YYMMDD))		
			rejection, SPR ca the specific suppo	SA, SPR substitute acceptance, SPR substitute acceptance, SPR substitute acceptance, SPR substitute acceptance, SPR substitute and SPR inquiry transaction are initiated). Use in SPR modification to a support date.	is to rela	identify ted
Not Used	FST05	373	Date		O	DT 6/6
			Date (YYMMDD))		
Not Used	FST06	374	Date/Time Quali	fier	X	ID 3/3
			Code specifying ty	ppe of date or time, or both date and time		
Not Used	FST07	337	Time		X	TM 4/8
			Time expressed in 24-hour clock time as follows: HHMM, or HHMMSS, or HHMMSSD, or HHMMSSDD, where H = hours (00-23), M = minutes (00-59), S = integer seconds (00-59) and DD = decimal seconds; decimal seconds are expressed as follows: D = tenths (0-9) and DD = hundredths (00-99)			
	FST08	128	Reference Identif	fication Qualifier	X	ID 2/3
			Code qualifying th	ne Reference Identification		
			W8	Suffix		
				Differentiates between partial actions to original transaction	ıken	on the
				Use to identify the suffix code associal 2/REF/140 transaction number and of		
	FST09	127	Reference Identif	fication	X	AN 1/30

Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier

Not Used FST10 783 Planning Schedule Type Code O ID 2/2

Code identifying type of planning schedule used

Segment: LM Code Source Information

Position: 430

Loop: LM Optional

Level: Detail
Usage: Optional

Max Use: 1

Purpose: To transmit standard code list identification information

Syntax Notes: Semantic Notes:

Comments:

1 LM02 identifies the applicable industry code list source information.

Notes: 1. Use this 2/LM/430 loop to identify coded information maintained in departmental or agency documentation.

2. Use this 2/LM/430 loop only in SPR, SPR SA, and SPR modification transactions to identify data associated with the forecast quantities provided in the 2/FST/410 segment.

Must Use	Ref. <u>Des.</u> LM01	Data Element 559	Name Agency Qu	ualifier Code	Att	ributes ID 2/2
			Code identi	ifying the agency assigning the code values Department of Defense (DoD)		
Not Used	LM02	822	Source Su	bqualifier	O	AN 1/15
			A reference Qualifier	that indicates the table or text maintained by the	Sour	rce

Segment: LQ Industry Code

Position: 440

Loop: LM Optional

Level: Detail
Usage: Mandatory

Max Use: 100

Purpose: Code to transmit standard industry codesSyntax Notes: 1 If LQ01 is present, then LQ02 is required.

Semantic Notes:

Comments:

Notes: Use to identify codes, as appropriate, consistent with management information

requirements.

Data Element Summary

Ref. Data

Des. Element Name

Must Use LQ01 1270 Code List Qualifier Code

Attributes

O ID 1/3

Code identifying a specific industry code list

78 Project Code

Codes that relate a transaction to special programs, exercises, projects, operations, or other purposes

Must use for original SPR and SPR SA transactions. Use in SPR modification

transactions to identify the revised project code.

80 Advice Code

Instructions to transaction recipients when

narratives cannot be transmitted

Use as needed for SPR and SPR SA transactions.

83 Supply Condition Code

Classifies material by readiness for issue and use, describes actions underway to change the status of material, or identifies material as excess or not

serviceable

Use for SPR and SPR SA transactions to identify the supply condition of the required material;

otherwise, do not use.

99 Purpose Code

Codes that inform the material owner why an

inventory balance is being reserved

Use for SPR and SPR SA transactions to identify

the purpose of the required material.

ED Coast Designation Code

The location of the consignee

Use for original SPR and SPR SA transactions to

identify the relative consignee location. Use in SPR modification transactions to identify the revised relative consignee location.

Must Use LQ02 1271 Industry Code

X AN 1/30

Code indicating a code from a specific industry code list

Segment: \mathbf{SE} Transaction Set Trailer

Position: 020

Loop:

Level: Summary Usage: Mandatory

Max Use: 1

Purpose: To indicate the end of the transaction set and provide the count of the transmitted

segments (including the beginning (ST) and ending (SE) segments)

Syntax Notes:

Semantic Notes:

Comments: 1 SE is the last segment of each transaction set.

Must Use	Ref. Des. SE01	Data <u>Element</u> 96	Name Number of Included Segments Total number of segments included in a transaction set inclu		ributes NO 1/10 ST and	
			SE segments			
Must Use	SE02	329	Transaction Set Control Number	M	AN 4/9	
			Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set			
			Cite the same number as the one cited in ST02.			